

Three-in-One Secure Destruction System | YD-PZ Series

One-Stop Destruction Solution | 📖 Books + 💿 Hard Drives + 🧲 Magnetic Degaussing




Front View



Right Side View



Safe Feeding Inlet



Fully Enclosed Waste Bin

🌐 20 Years of Engineering Excellence | Innovative Customer-Centric Design & Proprietary Global Technology

The YD-PZ Series is the result of two decades of expertise in shredding and secure destruction. It is designed to meet the evolving needs of **high-security document and media disposal**.

✅ Key Features & Technical Advantages

- **Meets top-tier confidentiality standards:**
Shreds paper into **1mm micro-powder**.
 - **Handles extreme materials:**
Capable of destroying **ultra-thick and ultra-hard media**, including hard drives, toner cartridges, and stainless steel components.
 - **Compatible with low melting point materials:**
Suitable for destroying modern storage media made with **heat-sensitive new materials**.
- **EHS-Compliant:**
Fully aligned with **global Environmental, Health, and Safety standards**, trusted by multinational corporations.
 - **Energy-efficient performance:**
Reducing operational costs while maintaining performance.
 - **Supports abrasive and composite materials:**
Specially designed to process **glass fiber, mineral-based, and high-wear materials**.

🔧 Technical Specifications:

Product Model	YD- PZ3020	YD- PZ3025	YD- PZ4025	YD-PZ5030	YD-PZ6030
Inlet Dimensions (mm)	300*130	300*130	400*200	500*300	600*500
Shred Size ¹	1*2mm	1*2mm	1*2mm	1*2mm	1*2mm
Sheet Capacity ²	80-130	100-150	150-200	200-300	300-500
Magnetic Field Strength	≥12000Gs	≥12000Gs	≥12000Gs	≥12000Gs	≥12000Gs
Motor Power	8.2KW, 380V	11.5KW, 380V	13.5kw, 380V	19KW, 380V	26.5KW, 380V
Dimensions (m)	1.8*1.2*1.8m	1.8*1.2*1.8m	2*1.2*1.8m	2.2*1.2*1.8m	2.2*1.2*1.8m
Weight (kg)	950KG	1100KG	1200KG	1300KG	1500KG
Pricing RMB	¥198769	¥250000	¥299710	¥397595	¥499791
Pricing USD	\$27,996	\$35,212	\$42,212	\$55,999	\$70,395

¹ Customizable Sizes: Available in 1mm, 3mm, and 5mm specifications. For additional options, please contact customer service.
² For Long-Term Operation: Feed materials evenly and wait until the materials in the shredding chamber are fully processed before adding more. For continuous feeding, ensure each batch is no more than one-third of the value specified in the table.

 Preferred by Industry Leaders

Widely used across various sectors for secure information destruction, the YD-PZ Series has become the preferred choice of many **Global Fortune 500** companies.

Machine Detail Views

		
Front View	Right Side View	Center Side View
		
Feeding Port 1	Feeding Port 2	Safety Feeding Port
		
Rear View	Left Side View	Rear-Right View

Shredding Result – Storage Media


Toner Cartridges



Hard Drives



Electronic Storage Media



Shred size will be based on the specification mutually confirmed upon ordering.

Shredding Effect (1*2mm)



Customer Cases

Case Z



Case X

