

1. Large Office Series

Suitable for single-phase power environments, ideal for daily bulk document shredding in office and corporate settings.

 The main specifications of our large office series shredders are as follows:

Model

Top-Selling Models for Various Application Scenarios

Featured Models: YD-23026C, YD-3120C, YD-310CC, YD-418CC, YD-338CC-HD, YD-448CC, YD-PSJ300ES, YD-PSJ300

 Feed Width (mm)	Various Feed Width Options for Office and Industrial Use Maximum Custom Size: 900mm Common Sizes: 240mm / 310mm / 400mm / 460mm / 500mm / 600mm
 Cut Size	Customizable Output Size – From Office Use to High-Security Destruction Minimum Particle Size: 0.6×2.9mm / 0.7×3.5mm / 1×1mm (powder-grade) Common Sizes: 1×5cm, 5.8×50mm, 4×40mm, 2×15mm, 1×10mm
 Max Sheets	Handles Light to Heavy Shredding Workloads Efficiently Max Capacity: 60–100 sheets per pass Typical Capacity: 25 / 35 / 45 sheets (70g A4 paper)
 Weight (kg)	Covers Lightweight Units to Entry-Level Industrial Machines Typical Weight Range: 15kg – 250kg
 Power	High-Performance Power Output for Various Operational Demands Typical Power Range: 580W – 2.6KW Maximum Power: 3KW
 L×W×H (mm)	Flexible Body Size – Customizable to Fit On-Site Requirements Compact sizes suitable for office doors and elevators Custom dimensions available with engineering drawings provided
 Bin(L)	Large Waste Bin – Reduces Cleaning Frequency Standard Capacities: 50L / 120L / 150L / 160L Optional larger volumes available upon request
 Price (USD)	Flexible Pricing – Covers Office to Professional Applications Typical Price Range: ¥1,500 – ¥50,000 Please contact us for exact quotations and volume discounts

High-Power Office Shredders

 **Featured Models:** YD-23026, YD-3120, YD-418CC, YD-428CC, YD-310CC26, YD-338CC

Dual-Entry Funnel Shredders

 **Featured Models:** YD-400CC-HD, YD-458CC-HD, YD-448CCM, YD-PSJ300ES, YD-PSJ250ES2, YD-PSJ250ES3

Quick Selection 快速选型

 Front View

 Feeding Inlet

 ID Model

 YouTube

 Features

 Price USD

High-Power Office Shredders

		YD-23026C YD-23026M YD-23026M2		415 439 475
		YD-3120S YD-3120C YD-3120M YD-M2405	 120L	991 1398 1668 245
		YD-310CC YD-310CCM	 150L	2688 2829
		YD-418CC YD-428CC	 42cm	4020 5395

Dual-Entry Funnel Shredders

		YD-338CC26 YD-338CC-HD YD-338CCM		5713 7110 7140
		YD-448CC YD-448CCM	 Feed 44cm	9715 11828
		YD-PSJ300ES	 hard drives, PCBs, paper- bound files.	2853
		YD-PSJ300-2P YD-PSJ300-3P	 160L	5715 8378

+ Custom Cases 更多定制案例

Front View	Feeding Inlet	Model	Price (USD)
		YD-400CC-HD	4115
		YD-458CC-HD	5545
		YD-PSJ250ES2	4490
		YD-PSJ250ES3	5688

YD-23026

Product Overview

Fig. 1: Full View



Fig. 2: Feeding View



Fig. 3: Internal View



Key Features

-  Continuous operation for 60 minutes
-  Up to 6,000 sheets/hour (22 kg)

Application Scenarios

 Offices  Banks  Finance  Archives  Executives

Shreddable Materials

 A4 Paper  Magazines  Cards  CDs/DVDs  Receipts

Technical Specifications:

 Model	YD-23026C	YD-23026M	YD-23026M2
 Feed Width (mm)	240mm	240mm	240mm
 Cut Size	3.9*38mm	2*15mm	2*10mm
 Max Sheets	25-32	15	18
 Weight (kg)	30kg	30kg	30kg
 Power	580W	600W	600W
 L×W×H (mm)	430*330*710	430*330*710	430*330*710
 Bin(L)	50L	50L	50L
 Price (USD)	415	439	475

Fig. 4: Control Panel View
(Panel with dynamic load display)



YD-3120C / M2405 / YD-2760

Product Overview

Fig. 1: Full View



Fig. 2: Feeding View



Fig. 3: Internal View



Fig. 4: Control Panel View (Panel with dynamic load display)



Only for (S/C/M)+

Fn

Function button switch below three indicator lights.

1



Advanced Load Detection-Electronically measures load power to prevent paper jams

2




Advanced Overheat Prevention-Electronically monitor temperature to prevent overheat

3



Advanced Bin Full Prevention-Electronically monitor bin volume to prevent bin full



Key Features

- Continuous operation

- 120L BIN

Technical Specifications:

Model	YD-2760	YD-3120S	YD-3120C	YD-3120M	YD-M2405
Feed Width (mm)	270mm	310mm	310mm	310mm	220mm
Cut Size	3.8*38mm	3.8mm or 5.8mm	3.8*38mm	2*8mm	1*2mm
Max Sheets	20-25	26-32 (or 40)	20-25	15-18	4-5
Weight (kg)	45kg	45kg	45kg	45kg	45kg
Power	900W	900W	900W	900W	480W
Continuous	Yes	Yes	Yes	Yes	60min
L×W×H (mm)	480*396*706	532*465*910	532*465*910	532*465*910	470*396*706
Bin(L)	62L	120L	120L	120L	60L
Price (USD)	825	991	1397	1668	645

📄 YD-310CC / YD-418CC / YD-428CC

🖨️ Product Overview

Fig. 1: Full View



Fig. 2: Feeding View



Fig. 3: Internal View



✅ Key Features

- 🔄 Continuous operation over 3 hours
- 🗑️ 150L BIN

🔧 Technical Specifications:

MODEL	YD-310CC	YD-310CCM	YD-418CC	YD-428CC
FEED WIDTH	310mm	310mm	418mm	428mm
CUT SIZE	3.8*39mm	1.9*15mm	3.8*39mm	5.8*45mm
MAX SHEETS	25-35	16-20	25-32	55-65
WEIGHT	93kg	95kg	97kg	110kg
POWER	1.2KW	1.2KW	1.3KW	2KW
CONTINUOUS	3 hours	3 hours	3 hours	Continuous
L×W×H (MM)	620*480*1070mm	620*480*1070mm	620*480*1070mm	800*650*1150mm
BIN(L)	150L	150L	150L	260L
PRICE (RMB)	18800	19800	28140	37750
PRICE (USD)	2688	2829	4020	5395

图 4 YD-418CC 机型碎图纸



图 5 YD-428CC 整机图



YD-338CC Series

Product Overview

Fig. 1: Full View



Fig. 2: Feeding View



Fig. 3: Self-Lubricating Blades



Fig. 4: Integrated Steel Cutter – 10-Year Warranty



Shreddable Materials

 A4 Paper  Magazines  Cards  CDs/DVDs  Receipts

Technical Specifications :

Model	YD-338CC26-HD	YD-338CC40-HD	YD-338CC-HD	YD-338CCM
Feed Width (mm)	Flat feed platform width: 600 mm, hopper-style inlet width: 330 mm			
Cut Size	3.8*35mm	3.8*38mm	3.8*38mm	1.8*15mm
Max Sheets	26-38(70g A4)	40-48(70g A4)	50-60(70g A4)	25-35(70g A4)
Weight (kg)	120kg			
Power	1.5KW	1.8KW	2.0KW	1.8kw
L×W×H (mm)	600*492*1204mm			
Bin(L)	130L			
Paper Capacity	789kg	900kg	1200kg	750kg
Card Capacity	60000 sheets	50000 sheets	65000 sheets	35000 sheets
Disc Capacity	100000 sheets	120000 sheets	150000 sheets	75000 sheets
Price (USD)	5713	6268	7110	7140

YD-448CCM Mid-Security Office Shredder

 **Dual-Feed Shredder with Large Bin – Built for Office Efficiency & Security**

Product Overview




Front View



Right Side View



Safe Feeding Inlet



Fully Enclosed Waste Bin

Highlights:

Dual Input Design

Top Cover Inlet: for bulk-bound reports & thick documents

Front Slot Inlet: for everyday papers and A4 sheets

Micro-Cut Security (2×15mm)

Shreds 40–60 sheets per pass

Meets **EU P-5 to P-6 security levels**

Suitable for financial, legal, and classified document disposal

Powerful + Quiet

2.2KW motor supports continuous 3+ hours operation

Quiet at only 55dB – ideal for shared office environments

160L Extra-Large Bin

Easy-open front cabinet for fast emptying

Optimized for Offices

Ideal for government departments, accounting teams, and secure workspaces

Preferred by Industry Leaders

The first choice for multinational corporations, industry leaders, and Fortune Global 500 enterprises.

Technical Specifications:

 Model	YD-448CC	YD-448CCM
 Feed Width (mm)	448mm	448mm
 Cut Size	3.9*45mm	1.9*15mm
 Max Sheets	50-70 (70g, A4)	40-60 (70g, A4)
 Weight (kg)	258kg	258kg
 Power	2.2KW	2.2KW
 L×W×H (mm)	1322*877*790mm	1322*877*790mm
 Bin(L)	160L	160L
 Price (USD)	\$9,715	\$11,828

YD-PSJ300ES


Product Overview



Shreddable Materials



Technical Specifications

 Model	YD-PSJ300ES	Fig. 4: L×W×H (mm) Fits through office doors and elevators 
 Feed Width (mm)	500*380mm	
 Cut Size ¹	1*5cm	
 Max Sheets	60-130	
 Weight (kg)	250kg	
 Power	2.2KW / 380V	
 Continuous	24 hours	
 L×W×H (mm)	850*700*1350mm	
 Bin(L)	160L	
 Price (RMB)	19970	
 Price (USD)	2853	

¹ Customizable sizes. Common options: 5.8×50mm, 4×40mm, 2×15mm, 1×10mm.

YD-PSJ300 Series

Product Overview

Fig. 1: Full View



Fig. 2: Front View



Fig. 3: Feeding View
( Hopper with Auto-Lock)



Key Features

shredding of diverse materials such as hard drives, PCBs, and paper-bound files.


Shreddable Materials



Technical Specifications

 Model	YD-PSJ300 2P1.5KW	YD-PSJ300 3P2.2KW
 Feed Width	500*380mm	500*380mm
 Cut Size ²	1*5cm	1*5cm
 Max Sheets	40-70	60-130
 Weight (kg)	250kg	250kg
 Power	1.5KW / 220V	2.2KW / 3 phase 380V
 Continuous	24 hours	24 hours
 L×W×H (mm)	850*700*1350mm	850*700*1350mm
 Bin(L)	Waste Chamber 400L Waste Bin 160L	Waste Chamber 400L Waste Bin 160L
 Price (USD)	5715	8378

Fig. 4: L×W×H (mm)
Fits through office doors and elevators



² Customizable sizes. Common options: 5.8×50mm, 4×40mm, 2×15mm, 1×10mm.